

| L Number | Hits | Search Text  | DB  | Time stamp       |
|----------|------|--|---|------------------|
| 1        | 58   | (channel adj configur\$6) with manufactur\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 19:57 |
| 2        | 30   | ((channel adj configur\$6) with manufactur\$3) and @ad<20000512  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 19:55 |
| 3        | 150  | (channel adj configur\$6) with (manufactur\$3 or install\$3 or initial)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 19:57 |
| 4        | 92   | ((channel adj configur\$6) with (manufactur\$3 or install\$3 or initial)) and @ad<20000512   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 19:58 |
| 5        | 6    | ((((channel adj configur\$6) with (manufactur\$3 or install\$3 or initial)) and @ad<20000512) and ("WLAN" or (base adj station) or (access adj point)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 19:58 |

| L Number | Hits | Search Text   | DB  | Time stamp       |
|----------|------|---|---|------------------|
| 1        | 41   | (channel adj (assign\$4 or allocat\$3)) with (order or random) with (equal or balance or even)                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 20:22 |
| 2        | 29   | ((channel adj (assign\$4 or allocat\$3)) with (order or random) with (equal or balance or even)) and @ad<20000512 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 20:23 |

| L Number | Hits | Search Text  | DB  | Time stamp       |
|----------|------|--|---|------------------|
| 1        | 41   | (channel adj (assign\$4 or allocat\$3)) with (order or random) with (equal or balance or even)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 20:23 |
| 2        | 29   | ((channel adj (assign\$4 or allocat\$3)) with (order or random) with (equal or balance or even)) and @ad<20000512                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 20:23 |
| 3        | 42   | (channel adj (assign\$4 or allocat\$3 or distribut\$3)) with (order or random) with (equal or balance or even)                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 20:23 |
| 4        | 30   | ((channel adj (assign\$4 or allocat\$3 or distribut\$3)) with (order or random) with (equal or balance or even)) and @ad<20000512                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 20:24 |
| 5        | 78   | (channel adj configur\$5) with ((base adj station) or (access adj point))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 20:25 |
| 6        | 51   | ((channel adj configur\$5) with ((base adj station) or (access adj point))) and (order or random) and (even or balance or equal)                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 20:25 |
| 7        | 27   | ((channel adj configur\$5) with ((base adj station) or (access adj point))) and (order or random) and (even or balance or equal)) and @ad<20000512 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 20:25 |

| L Number | Hits | Search Text  | DB  | Time stamp       |
|----------|------|--|---|------------------|
| 24       | 14   | manufacturer with (assign\$3 or allocat\$3) with ((access adj point) or (base adj station))                              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 15:35 |
| 26       | 23   | manufacturer with (assign\$3 or allocat\$3) with channel   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 15:37 |
| 28       | 12   | (manufacturer with (assign\$3 or allocat\$3) with channel) and @ad<20000512  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 15:40 |
| 30       | 12   | manufacturer with default with channel   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 15:41 |
| 31       | 9    | (manufacturer with default with channel) and @ad<20000512  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 15:43 |
| 35       | 2    | manufacturer with channel adj (assign\$5 or allocat\$3)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 15:56 |
| 36       | 26   | (default or "pre-set" or "preset") with channel with manufacturer  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 15:57 |
| 37       | 18   | ((default or "pre-set" or "preset") with channel with manufacturer) and @ad<20000512                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 15:58 |
| 38       | 175  | ((base adj station) or (access adj point)) with (default or preset) with channel\$2                                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 15:58 |
| 39       | 104  | ((base adj station) or (access adj point)) with (default or preset) with channel\$2) and @ad<20000512                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 15:59 |
| 40       | 13   | ((base adj station) or (access adj point)) with (default or preset) with channel\$2) and @ad<20000512) and manufactur\$3 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 16:03 |
| 41       | 3    | ("370/329").ccls. and (manufacturer with (assign\$4 or allocat\$3))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 16:04 |
| 42       | 1    | ("370/329").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 16:05 |
| 43       | 1    | ("370/328").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512                                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 16:07 |

|    |    |   |   |                  |
|----|----|---|---|------------------|
| 45 | 7  | ("370/338").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 16:08 |
| 48 | 3  | ("455/450").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 16:09 |
| 50 | 1  | ("455/454").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 16:13 |
| 51 | 1  | ("455/509").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 16:09 |
| 52 | 2  | channel adj (default or setting) with manufacturer  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 16:13 |
| 53 | 38 | reconfigur\$4 with channel with ((base adj station) or (access adj point))                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 16:14 |
| 54 | 18 | (reconfigur\$4 with channel with ((base adj station) or (access adj point))) and @ad<20000512 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/11/01 16:14 |